



KLARA

diesse
tile specialists




KLARA KLA 06

KLARA

Porcelain
Rectified

✂ 10mm 20mm

Surfaces




Natural



Polished



3D




Anti Slip 20mm

Colours



KLA 01




KLA 07




KLA 02




KLA 03



KLA 04



KLA 05



KLA 06

Number
of patterns


Sizes



30 1200x1200 48"x48"
1200x1200 48"x48" Polished



40 600x1200 24"x48"
600x1200 24"x48" Polished



40 600x1200 24"x48" 3D



40 900x900 36"x36"
890x890 35½"x35½" Polished



55 600x600 24"x24"
600x600 24"x24" Polished



40 600x1200 24"x48" As 2.0*

Decors&Accessories



300x300 12"x12"
Mosaic



300x300 12"x12"
Mosaic Polished

* As 2.0
Only for colorus: KLA 01, KLA 02, KLA 04, KLA 05, KLA 06



Four different surface finishes emphasize Klara's sophisticated color tones and refined graphics: **Natural-Plus**, natural and anti-slip in a single solution. Polished special polishing, for a very hard and brilliant surface like crystal. **AS 2.0**, anti-slip, for outdoor use. **3D**, longitudinal grooves to decorate partitions and walls.



Floor / KLARA KLA 04 - 1200x1200 Polished
Outdoor / KLARA KLA 04 - 600x1200 As 2.0



KLARA KLA 04 - 600x1200 As 2.0

Ideal for terraces, gardens, swimming pools and relaxation areas, the Klara As 2.0 defines outdoor spaces with extreme naturalness through a surface that amplifies the strength of the material.



Floor Outdoor / KLARA KLA 04 - 600x1200 As 2.0
Wall / KLARA KLA 04 - 600x1200
Floor Indoor / KLARA KLA 04 - 600x1200



KLARA KLA 04 - 600x1200

KLARA gives a strong aesthetic connotation to external coverings of buildings or architectural details. It is resistant, non-slip, does not stain, easy to sanitize, does not fear atmospheric agents and its appearance remains unchanged over time.



Floor Outdoor / KLARA KLA 04 - 600x1200 As 2.0
Floor Indoor / KLARA KLA 04 - 600x1200



KLARA KLA 04 - 1200x1200

KLARA KLA 04 - 1200x1200



KLARA flooring visually enlarges spaces, thanks to the multiform graphics of breccia stone and thanks to the large rectified format, **with joints that become almost invisible.**

KLARA
Residential

OUTDOOR
INDOOR



Floor outdoor / KLARA KLA 04 - 600x1200 As 2.0
Floor indoor / KLARA KLA 04 600x1200

Wood, metal, glass, FORM
cement-effect porcelain tile:
**Klara's ability to combine
perfectly with different
materials,** even outdoors, with
aesthetic results of strong scenic
impact.



Floor outdoor / KLARA KLA 04 - 600x1200 As 2.0
Floor indoor / KLARA KLA 04 600x1200



Floor / KLARA KLA 01 1200x1200 Polished
Wall / KLARA KLA 01 1200x1200 Polished

Dressing floors and walls with visually continuous surfaces, **made bright and brilliant by the mirror effect of the special Crystal polishing.** Refined elegance, without sacrificing the strength and functionality of stoneware.



Floor / KLARA KLA 01 1200x1200 Polished
Wall / KLARA KLA 01 1200x1200 Polished

KLARA

Residential

BATHROOM



Wall / KLARA KLA 01 - 600x1200, KLARA KLA 01 - 3D - 600x1200
Floor / KLARA KLA 01 - 600x1200



KLARA KLA 01 - 600x1200, KLARA KLA 01 - 3D - 600x1200

The collection features a multitude of expressions and possible applications, for visions of space with countless surface variants. **3D** is a decorative slab in 600x1020 mm size available in all colors: the longitudinal incisions capture the light and give ornamental settings or entire walls, a more decisive character.



KLARA KLA 06 - 1200x1200 - Polished



KLARA KLA 06 600x1200



KLARA KLA 06 600x1200

Golden, luxurious visions,
the **determined graphisms**
of **KLARA KLA 06**, to exalt
to the maximum the design
and the elegance of the
spaces. **Sometimes a
minimal style, sometimes a
more retro' personality.**



KLARA KLA 07 - 1200x1200 - Polished

Each slab is composed of a flow of geometries that escape from the perspective design, floating free, without creating any constraints of composition. **The combination with Primewood Nut wood** on the wall is precious: the chromatic harmony that enhances the space dominates the scenario.



KLARA
Commercial
CAFÉ

Floor / KLARA KLA 07 - 1200x1200 - Polished



KLARA
Commercial

BOUTIQUE



KLARA KLA 03 - 1200x1200 - Polished



KLARA KLA 03 -
1200x1200 - Polished

KLARA KLA 03 version, which stands out for its particularly rich and sophisticated color palette, is part of this project that interprets the splendid Venetian breccia in a new form. Thanks to the technical advantages of the Superior Technology Program, the elegance of the design is combined with superior technical qualities. Ideal for heavy traffic areas.



The beauty of KLARA meets the technical performance of **porcelain tile**, a highly functional and resistant material, ideal for public spaces. **The contrast created by the combination with the FORM cement-effect slab is interesting**, for a balanced variety of the whole.

KLARA
Commercial
HALL

Floor / KLARA KLA 05 600x1200
Wall / KLARA KLA 05 600x1200



Floor / KLARA KLA 05 600x1200
Wall / KLARA KLA 05 600x1200

KLARA

Commercial

HOTEL BATHROOM



Floor / KLARA KLA 05 600x1200 - Polished
Wall / KLARA KLA 05 600x1200 - Polished

Colours

KLARA KLA 01



KLARA KLA 02



KLARA KLA 04



KLARA KLA 05



KLARA KLA 03



KLARA KLA 06



KLARA KLA 07



Certifications

Anti-Slip Grading		Static coefficient of friction		Dynamic coefficient of friction		Pendulum Test
R10	R11 **	A+B	A+B+C **	ASTM test **	DCOF AcuTest* **	Pendulum Friction
DIN 51130		DIN 51097		ASTM C1028 - 06	ANSI A137.1 - 2012	Test - BS 7976
		Dry $\mu > 0,6$		Wet $\mu > 0,6$		
		Natural Surface - Antislip		Natural Surface - Antislip		
* Determination of slip resistance of pedestrian surfaces; it does not coversports surfaces and road surfaces for vehicles (skid resistance).						
** Anti-slip performance is guaranteed at the time of delivery of the product.						

Sizes

⚡ 10mm					
					
1200x1200 48"x48"		600x1200 24"x48"		3D 600x1200 24"x48"	
Surface	NATURAL	POLISHED	NATURAL	POLISHED	3D
 KLARA KLA 01	•	•	•	•	•
 KLARA KLA 02	•	•	•	•	•
 KLARA KLA 04	•	•	•	•	•
 KLARA KLA 05	•	•	•	•	•
 KLARA KLA 06	•	•	•	•	•
 KLARA KLA 03	•	•	•	•	•
 KLARA KLA 07	•	•	•	•	•
Pz / Box	2		2		2
 Mq / Box	2,88		1,44		1,44
Kg / Box	61,9		31		31
Kg / Mq	21,5		21,5		21,5
Boxes / Pallet	16		30		30
 Mq / Pallet	46,08		43,2		43,2
Kg / Pallet	990		930		930

⌵ 10mm				⌵ 20mm	
					
900x900 36"x36"		890x890 35½"x35½"		600x600 24"x24"	
NATURAL		POLISHED		NATURAL	
•		•		•	
•		•		•	
•		•		•	
•		•		•	
•		•		•	
•		•		•	
•		•		•	
2		2		4	
1,62		1,58		1,44	
34,8		34		31	
21,5		21,5		21,5	
20		20		30	
32,4		31,6		43,2	
696		680		930	

AS 2.0	
•	
•	
•	
•	
•	
•	
1	
0,72	
31	
43,1	
24	
17,28	
744	

Surfaces

Natural



Polished



3D



Anti Slip 20mm



Number of patterns



30

1200x1200 48"x48"



40

900x900 36"x36"

89x89 35 1/2"x35 1/2"



40

3D

60x120 24"x48"



40

600x1200 24"x48"



55

600x600 24"x24"



40

As 2.0

600x1200 24"x48"


Decors&Accessories




300x300 12"x12"
KLARA KLA 01Mosaic
KLARA KLA 01Mosaic -
Polished




300x300 12"x12"
KLARA KLA 02 Mosaic
KLARA KLA 02 Mosaic -
Polished




300x300 12"x12"
KLARA KLA 03 Mosaic
KLARA KLA 03 Mosaic -
Polished




300x300 12"x12"
KLARA KLA 07 Mosaic
KLARA KLA 07 Mosaic -
Polished



300x300 12"x12"
KLARA KLA 04 Mosaic
KLARA KLA 04 Mosaic -
Polished





300x300 12"x12"
KLARA KLA 05 Mosaic
KLARA KLA 05 Mosaic -
Polished



300x300 12"x12"
KLARA KLA 06 Mosaic
KLARA KLA 06 Mosaic -
Polished

3D



Available in all colours




KLARA KLA 07 - 3D 600x1200

Suggestion for laying

Considering the characteristics of this series we suggest:

- 2 mm joint
- For the sizes 60x120 lined up laying or 4/5 staggered laying is suggested

Anti Slip s 20mm 2.0



KLARA KLA 04 - 3D 600x1200As 2.0



KLARA KLA 04 - 3D 600x1200 As 2.0

Symbols					
					
Rectified	Tiles with slight shade and aspect variation	Frost-resistant	Surface abrasion group	DIN 51130	Thickness mm
Rettificata		Ingelivo	Gruppo di usura superficiale		Spessore mm
Kalibriert	Piastrelle con lieve variazione di tono e disegno	Frostsicher	Rutschbestaendigkeit	Anti-Slip Grading	Dike mm
Rectifié		Résistance au gel	Degré de usure superficielle	Classificazione antiscivolosità	Epaisseur mm
Ректифицированная	Fliesen mit leicht unterschiedlichen Tonalitäten und Muster	Морозостойкая	Группа истираемости поверхности	Rutschhemmungsklassifizierung	Толщина мм
	Carreaux avec faible différence de nuance et structure			Classification glissement	
	Плитка с легким изменением тона и рисунка			Классификация устойчивости к скольжению	
					
				DIN 51097	
				Anti-Slip Grading	
				Classificazione antiscivolosità	
				Rutschhemmungsklassifizierung	
				Classification glissement	
				Классификация устойчивости к скольжению	